



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/760,189	01/21/2004	Kia Silverbrook	MPA24US	2155

24011 7590 12/28/2006  
SILVERBROOK RESEARCH PTY LTD  
393 DARLING STREET  
BALMAIN, NSW 2041  
AUSTRALIA

EXAMINER
----------

NGUYEN, LAM S

ART UNIT	PAPER NUMBER
----------	--------------

2853

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	12/28/2006	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

# Office Action Summary

Application No.

10/760,189

Applicant(s)

SILVERBROOK ET AL.

Examiner

LAM S. NGUYEN

Art Unit

2853

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 27 November 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-5 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-5 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Terminal Disclaimer*

The terminal disclaimer filed on 11/27/2006 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of the US patent No. 7077505 and a US patent corresponding to the application No. 10/760191 has been reviewed and is accepted. The terminal disclaimer has been recorded.

### *Claim Rejections - 35 USC § 102*

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

1. Claims 1-5 are rejected under 35 U.S.C. 102(a) as being anticipated by Silverbrook et al. (US 6612240).

Silverbrook et al. ('240) discloses a printhead assembly (FIG. 14: *Each printhead assembly comprises a PCB (108 or 110) and a printhead module including elements 104.1 and 106.1 (or 104.2 and 106.2)), comprising:*

at least one printhead module comprising at least two printhead integrated circuits (FIG. 14: *One printhead module comprising two printhead integrated circuits 106.1 and 104.1*), each of which has nozzles formed therein for delivering printing fluid onto the surface of print media (*column 6, lines 22-30*), a support member supporting and carrying the printing fluid for the at least two printhead integrated circuits (FIG. 14, *element 120: The fluid carrier 120 carries fluid along the length of the printheads*), and an electrical connector for connecting electrical

signals to the at least two printhead integrated circuits (*FIG. 14: Conductors 116 connects the printheads to the PCB 108 or 110*); and

a plurality of longitudinally extending electrical conductors for providing power from a power supply to the at least two printhead integrated circuits (*FIG. 14, elements 124 and 122*), being arranged as two groups of electrical conductors respectively connected to the power supply at respective ends of the printhead assembly (*FIG. 14: The power is provided to the first (left) printhead assembly through the connector 124. The connection between elements 124 and 122 provides power to the next (right) printhead assembly through the connector 122*), respective ones of electrical conductors of the two groups of electrical conductors being connected together at abutting regions intermediate the ends of the printhead assembly (*FIG. 14, element 122*).

**Regarding to claim 2:** further comprising a casing in which the at least one printhead module and the plurality of electrical conductors are removably mounted (*FIG. 9, element 56*).

**Regarding to claim 3:** further comprising drive electronics incorporating at least one controller (*FIG. 14, elements 126*) for controlling the printing operation of at least one of the at least two printhead integrated circuits via the electrical connector (*FIG. 14, elements 116*), wherein power is provided to the drive electronics by the electrical conductors via the electrical connector.

**Regarding to claim 4:** wherein the abutting regions of the individual electrical conductors are arranged in overlapping relationship (*FIG. 14, element 122*).

**Regarding to claim 5:** wherein the at least one printhead module is formed as a unitary arrangement of the at least two printhead integrated circuits, the support member, the electrical

connector, and at least one fluid distribution member mounting the at least two printhead integrated circuits to the support member; and the support member has at least one longitudinally extending channel for carrying the printing fluid for the printhead integrated circuits and includes a plurality of apertures extending through a wall of the support member arranged so as to direct the printing fluid from the at least one channel to associated nozzles in both, or if more than two, all of the printhead integrated circuits by way of respective ones of the fluid distribution members (*FIG. 11, element 136*).

### ***Response to Arguments***

Applicant's arguments with respect to claim 1 have been considered but are moot in view of the new ground(s) of rejection. The new rejection is made based on the previous cited prior art with new citations and explanations.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAM S. NGUYEN whose telephone number is (571)272-2151. The examiner can normally be reached on 7:00AM - 3:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, STEPHEN D. MEIER can be reached on (571)272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 2853

system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A handwritten signature in black ink, appearing to read 'Lam Son Nguyen', written in a cursive style.

LAM SON NGUYEN